

AMENDMENT TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1.-53. (Canceled)

54. (Currently Amended) A method for selecting a command set for use in a remote control, comprising:

receiving user input at a computer that functions to specify a type of a consumer electronic device and a brand of the consumer electronic device;

using the user input at the computer to select a plurality of command sets that have been identified as being candidates for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device; ~~and~~

causing at least a subset of each of the plurality of selected command sets to be downloaded from the computer into the remote control whereby a user may interact with the remote control to determine by experimentation which one of the plurality of command sets is appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device;

displaying to the user a key layout for the remote control and a list of functions from the command set appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device and accepting user input to assign functions from the list of functions to the key layout, assignments of functions to the key layout being downloadable from the computer to the remote control to thereby configure the remote control to command operations of the

specified type of the consumer electronic device and the specified brand of consumer electronic device; and

displaying an amount of memory needed in the remote control to download from the computer to the remote control assignments of functions to the key layout.

55. (Previously Presented) The method as recited in claim 54, comprising displaying to the user a list comprising a plurality of types of consumer electronic device and the user selecting one of the plurality of types of consumer electronic device from the list comprises the user input that functions to specify the type of the consumer electronic device.

56. (Previously Presented) The method as recited in claim 54, comprising displaying to the user a list comprising a plurality of brands of consumer electronic device and the user selecting one of the plurality of brands of consumer electronic device from the list comprises the user input that functions to specify the brand of the consumer electronic device.

57. (Previously Presented) The method as recited in claim 54, wherein the subset of each of the plurality of command sets includes at least a code for commanding a power operation of the specified type of the consumer electronic device and the specified brand of the consumer electronic device.

58. (Previously Presented) The method as recited in claim 54, comprising arranging the downloaded plurality of command sets such that the plurality of command sets will be

tested in an order according to their install base when the user interacts with the remote control to determine by experimentation which one of the plurality of function code sets is appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device.

59. (Previously Presented) The method as recited in claim 54, comprising using the one of the plurality of command sets that is appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device to identify an extended command set for use in commanding extended operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device.

60. (Previously Presented) The method as recited in claim 54, wherein the user input is received at the computer via an Internet connection.

61. (Previously Presented) The method as recited in claim 54, wherein the plurality of command sets are downloaded from the computer directly into the remote control.

62. (Canceled)

63. (Canceled)

64. (Currently Amended) The method as recited in claim ~~54~~ 62, comprising presenting a graphical user interface having drag and drop capabilities for use in assigning functions from the list of functions to the key layout.

65. (Currently Amended) The method as recited in claim ~~54~~ 62, comprising downloading from the computer to the remote control via a speaker assignments of function codes to the key layout.

66. (Currently Amended) The method as recited in claim ~~54~~ 62, comprising downloading from the computer to the remote control a user interface having keys appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device, the user interface corresponding to the key layout.

67. (Currently Amended) A ~~The method as recited in claim 62, comprising~~ for selecting a command set for use in a remote control, comprising:

receiving user input at a computer that functions to specify a type of a consumer electronic device and a brand of the consumer electronic device;

using the user input at the computer to select a plurality of command sets that have been identified as being candidates for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device;

causing at least a subset of each of the plurality of selected command sets to be downloaded from the computer into the remote control whereby a user may interact with the remote control to determine by experimentation which one of the plurality of command sets is appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device;

displaying to the user a key layout for the remote control and a list of functions from the command set appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device and accepting user input to assign functions from the list of functions to the key layout, assignments of functions to the key layout being downloadable from the computer to the remote control to thereby configure the remote control to command operations of the specified type of the consumer electronic device and the specified brand of consumer electronic device; and

downloading from the computer to the remote control via a memory card assignments of functions to the key layout.

68. (Currently Amended) The method as recited in claim 54 ~~62~~, wherein the key layout comprises keys displayable in a display of the remote control.

69. (Currently Amended) The method as recited in claim 54 ~~62~~, comprising directly downloading from the computer to the remote control assignments of functions to the key layout.

70. (Previously Presented) The method as recited in claim 54, wherein the plurality of command sets each comprise codes for driving an IR emitting diode of the remote control.

71. (Currently Amended) A method for selecting a command set for use in a remote control, comprising:

displaying at a Web site a list comprising a plurality of types of consumer electronic device for allowing a user to select one of the plurality of types of consumer electronic device from the list to specify a type of a consumer electronic device;

displaying at the Web site a list comprising a plurality of brands of consumer electronic device for allowing the user to select one of the plurality of brands of consumer electronic from the list to specify a brand of the consumer electronic device;

using the user specified type of the consumer electronic device and the consumer specified brand of the consumer electronic device to select a plurality of command sets that have been identified as being candidates for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device;

making at least a subset of each of the plurality of selected command sets available whereby a user may determine by experimentation which one of the plurality of command sets is appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device;
and

displaying to the user at the Web site a key layout for the remote control and a list of functions from the command sets determined to be appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device and accepting user input to assign functions from the list of functions to the key layout; and

displaying an amount of memory needed in the remote control to download from the Web site to the remote control assignments of functions to the key layout;

wherein the plurality of command sets and the assignments of functions to the key layout are downloadable from the Web site to the remote control to thereby configure the remote control to command operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device.

72. (Currently Amended) The method as recited in claim 71 ~~54~~, comprising arranging the plurality of command sets such that the plurality of command sets will be tested in an order according to their install base when the user determines by experimentation which one of the plurality of command sets is appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device.

73. (Canceled)

74. (Previously Presented) The method as recited in claim 71, comprising presenting a graphical user interface having drag and drop capabilities for use in assigning functions from the list of functions to the key layout.

75. (Previously Presented) The method as recited in claim 71, comprising downloading from Web site to the remote control via a speaker assignments of function codes to the key layout.

76. (Previously Presented) The method as recited in claim 71, comprising downloading from the Web site to the remote control a user interface having keys appropriate for commanding operations of the specified type of the consumer electronic device and the

specified brand of the consumer electronic device, the user interface corresponding to the key layout.

77. (Currently Amended) A method as recited in claim 71, comprising for selecting a command set for use in a remote control, comprising:

displaying at a Web site a list comprising a plurality of types of consumer electronic device for allowing a user to select one of the plurality of types of consumer electronic device from the list to specify a type of a consumer electronic device;

displaying at the Web site a list comprising a plurality of brands of consumer electronic device for allowing the user to select one of the plurality of brands of consumer electronic from the list to specify a brand of the consumer electronic device;

using the user specified type of the consumer electronic device and the consumer specified brand of the consumer electronic device to select a plurality of command sets that have been identified as being candidates for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device;

making at least a subset of each of the plurality of selected command sets available whereby a user may determine by experimentation which one of the plurality of command sets is appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device;

displaying to the user at the Web site a key layout for the remote control and a list of functions from the command sets determined to be appropriate for commanding operations of the specified type of the consumer electronic device and the specified brand

of the consumer electronic device and accepting user input to assign functions from the list of functions to the key layout; and

downloading from the Web site to the remote control via a memory card assignments of functions to the key layout;

wherein the plurality of command sets and the assignments of functions to the key layout are downloadable from the Web site to the remote control to thereby configure the remote control to command operations of the specified type of the consumer electronic device and the specified brand of the consumer electronic device.

78. (Previously Presented) The method as recited in claim 71, wherein the key layout comprises keys displayable in a display of the remote control.

79. (Previously Presented) The method as recited in claim 71, comprising directly downloading from the Web site to the remote control assignments of functions to the key layout.

80. (Previously Presented) The method as recited in claim 71, wherein the plurality of command sets each comprise codes for driving an IR emitting diode of the remote control.